L Number	Hits		DB	Time stamp
1	0	("markup interchange format" or MIF) and Filemaker	USPAT; US-PGPUB;	2004/02/26 11:29
		rilemaker	EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	6	("markup interchange format" or MIF) and	USPAT;	2004/02/26 11:29
		Framemaker	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
3	4	(("markup interchange format" or MIF) and	IBM_TDB USPAT;	2004/02/26 11:29
3	-	Framemaker) and convert\$3	US-PGPUB;	2004/02/20 11.29
		reamonance, and converge	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	12778	recipient and address and (bad account or	USPAT;	2004/02/26 14:47
1		closed account or competitor or non-order	US-PGPUB;	
		or "physical location")	EPO; JPO; DERWENT;	
			IBM TDB	
11	120	(recipient and address and (bad account or	USPAT;	2004/02/26 14:47
-		closed account or competitor or non-order	US-PGPUB;	
		or "physical location") ) and paginat\$3	EPO; JPO;	
			DERWENT;	
10	4.0	//	IBM_TDB	2004/00/06 1: :5
12	42	((recipient and address and (bad account	USPAT;	2004/02/26 14:47
		or closed account or competitor or non-order or "physical location") ) and	US-PGPUB; EPO; JPO;	
		paginat\$3) and output	DERWENT;	
		Paris   Pari	IBM TDB	
13	13	(((recipient and address and (bad account	USPĀT;	2004/02/26 14:57
		or closed account or competitor or	US-PGPUB;	
		non-order or "physical location") ) and	EPO; JPO;	
		paginat\$3) and output) and catalog	DERWENT;	
16	598	catalog with send\$3	IBM_TDB   USPAT;	2004/02/26 14:58
10	330	Catalog with Schays	US-PGPUB;	2004/02/20 14.50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
17	2	(catalog with send\$3) and (bad with	USPAT;	2004/02/26 14:59
1		customer)	US-PGPUB; EPO; JPO;	
Ì			DERWENT;	
			IBM TDB	
18	0	(catalog with send\$3) and (bad with	USPAT;	2004/02/26 14:59
		account)	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
19	17	(catalog with send\$3) and (reginient with	IBM_TDB USPAT;	2004/02/26 14:59
-	Τ,	(catalog with send\$3) and (recipient with catalog)	US-PGPUB;	2004/02/20 14:59
į		00002097	EPO; JPO;	
i			DERWENT;	
l				I
			IBM_TDB	
20	122202	((catalog with send\$3) and (recipient with	USPĀT;	2004/02/26 15:00
20	122202	catalog)) and account or competitor or	USPĀT; US-PGPUB;	2004/02/26 15:00
20	122202		USPĀT; US-PGPUB; EPO; JPO;	2004/02/26 15:00
20	122202	catalog)) and account or competitor or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/26 15:00
	122202	catalog)) and account or competitor or (non with order)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
		<pre>catalog)) and account or competitor or (non with order)  ((catalog with send\$3) and (recipient with</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/02/26 15:00
		catalog)) and account or competitor or (non with order)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
		<pre>catalog)) and account or competitor or (non with order)  ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	
	8	<pre>catalog)) and account or competitor or (non with order)  ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 15:01
		<pre>catalog)) and account or competitor or (non with order)  ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	
20	8	<pre>catalog)) and account or competitor or (non with order)  ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	
	8	<pre>catalog)) and account or competitor or (non with order)  ((catalog with send\$3) and (recipient with catalog)) and (account or competitor or (non with order))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/02/26 15:01

-	1	Framemaker and Filemaker	USPAT;	2003/06/05 15:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(Decoration and Dilamakan) and manual	IBM_TDB	2003/06/05 15:10
-	0	(Framemaker and Filemaker) and record	USPAT;	2003/06/05 15:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1	/m	IBM_TDB	2003/06/05 15:20
-	1	(Framemaker and Filemaker) and field	USPAT; US-PGPUB;	2003/00/03 13.20
	İ		EPO; JPO;	
			DERWENT;	
			IBM TDB	
	0	((((Framemaker and Filemaker) and field)	USPAT;	2003/06/05 15:21
-	0	and instruction) and database) and code	US-PGPUB;	2003/00/03 13.21
		and instruction, and database, and code	EPO; JPO;	
			DERWENT;	
1			IBM TDB	
	1	((((Framemaker and Filemaker) and field)	USPAT;	2003/06/05 15:39
-	1	and instruction) and database) and (code	US-PGPUB;	2003/00/03 13:33
		or script or program)	EPO; JPO;	
		or script or program,	DERWENT;	
			IBM TDB	
_	8	pagination and (field with instruction)	USPAT;	2003/06/05 16:59
-	°	paginacion and (freta with instruction)	US-PGPUB;	2003,00,03 10.39
		•	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	3	pagination and (field with script)	USPAT;	2003/06/05 17:01
		pagination and (field with script)	US-PGPUB;	2003,00,00 17.01
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
1_	12	pagination and (field with (program and	USPAT;	2004/02/24 15:18
	12	code))	US-PGPUB;	2001, 02, 21 20120
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	97	aframe	USPAT;	2003/06/06 15:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	9	aframe and "file name" and image	USPAT;	2003/06/06 15:39
1			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	613	pagination	USPAT;	2003/06/06 15:39
	1		US-PGPUB;	
1	1		EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	123	pagination and database	USPĀT;	2003/06/06 15:39
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0000/05/55 55 55
-	76	(pagination and database) and instruction	USPAT;	2003/06/06 15:40
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
		Manager and the second	IBM_TDB	2002/06/06 15 40
-	68	((pagination and database) and	USPAT;	2003/06/06 15:40
	I	instruction) and output	US-PGPUB;	
	1			
			EPO; JPO;	
			EPO; JPO; DERWENT; IBM TDB	

-	65	(((pagination and database) and	USPAT;	2003/06/06 15:40
		instruction) and output) and field	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	1
	50	((((pagination and database) and	USPAT;	2003/06/09 11:40
_	30	instruction) and output) and field) and	US-PGPUB;	2000,00,00
		code and file	EPO; JPO;	
		0000 00 1110	DERWENT;	1
			IBM TDB	
_	49	pagination.ti.	USPĀT;	2003/06/09 14:21
			US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	2003/06/09 14:21
-	135	pagination.ab.	USPĀT; US-PGPUB;	2003/06/09 14:21
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
_	1	(pagination.ab. and (access with	USPAT;	2003/06/09 14:22
	1	database)) and instruction	US-PGPUB;	
		**	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	pagination.ab. and (access with database)	USPAT;	2003/06/09 14:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4952	"product catalog"	IBM_TDB   USPAT;	2003/06/10 15:46
_	4932	product catalog	US-PGPUB;	2003,00,10 13.40
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	4	"product catalog" and database and	USPAT;	2003/06/10 15:35
		pagination	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/06/10 15 46
-	4	"product catalog" and pagination	USPAT; US-PGPUB;	2003/06/10 15:46
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	"catalog pagination"	USPAT;	2003/06/10 15:47
	1	· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	51	catalog and pagination	USPAT;	2003/06/10 15:47
			US-PGPUB;	
	1		EPO; JPO; DERWENT;	
			IBM TDB	
_	37	(catalog and pagination) and (directive or	USPAT;	2003/06/10 15:48
	"	instructions)	US-PGPUB;	-300,00,10 10.40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	]
-	0	((catalog and pagination) and (directive	IBM_TDB USPAT;	2003/06/10 15:48
-	0	or instructions)) and (field with	IBM_TDB USPAT; US-PGPUB;	2003/06/10 15:48
-	0		IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/10 15:48
-	0	or instructions)) and (field with	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/10 15:48
-		or instructions)) and (field with directive)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	0	or instructions)) and (field with directive)  ((catalog and pagination) and (directive	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/06/10 15:48
-		or instructions)) and (field with directive)  ((catalog and pagination) and (directive or instructions)) and (code or scripts or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	
-		or instructions)) and (field with directive)  ((catalog and pagination) and (directive	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	

_	36	1 ( ( )	USPAT;	2003/06/10 15:49
		or instructions)) and (code or scripts or	US-PGPUB;	
		command)) and format	EPO; JPO; DERWENT;	
			IBM TDB	
_	28	((((catalog and pagination) and (directive	USPAT;	2003/06/10 19:58
	20	or instructions)) and (code or scripts or	US-PGPUB;	
		command)) and format) and (creat\$3 with	EPO; JPO;	
		file)	DERWENT;	1
			IBM TDB	
_	1	statistic with (orders and monetary and	USPAT;	2004/02/26 14:45
		(recency or new))	US-PGPUB;	
			EPO; JPO;	5
			DERWENT;	
	22	andone and manatany and reconcy	IBM_TDB USPAT;	2003/06/10 20:07
-	32	orders and monetary and recency	US-PGPUB;	2003/00/10 20.07
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	10	(orders and monetary and recency) and	USPAT;	2003/06/10 20:08
		statistic	US-PGPUB;	
	Í		EPO; JPO;	
			DERWENT;	
		Harrisonia, magazanii and 64 22	IBM_TDB	2004/02/24 15:16
-	2	"pagination program" and field	USPAT;	2004/02/24 15:16
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	4	"pagination program"	USPAT;	2004/02/24 15:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	222871	field and record	USPAT;	2004/02/24 15:18
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	338	(field and record) and paginat\$3	USPAT;	2004/02/24 15:18
		, (,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(((field and record) and paginat\$3) and	USPAT;	2004/02/24 15:19
		(field with instruction)) and (add\$3 with field same record)	US-PGPUB; EPO; JPO;	
		TIETO SOME TECOTO!	DERWENT;	
			IBM TDB	
_	19	((field and record) and paginat\$3) and	USPAT;	2004/02/24 16:24
		(field with instruction)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/02/24 36 24
-	24	paginat\$3 with instruction	USPAT; US-PGPUB;	2004/02/24 16:24
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	66	paginat\$3 with direct\$3	USPAT;	2004/02/24 16:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(	IBM_TDB	2004/02/24 16:25
-	0	(paginat\$3 with instruction) and	USPAT;	2004/02/24 16:25
		(paginat\$3 with direct\$3)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
L		l		L

_	90	<pre>(paginat\$3 with instruction) or (paginat\$3 with direct\$3)</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/02/24 16:25
			DERWENT; IBM_TDB	
-	25	((paginat\$3 with instruction) or (paginat\$3 with direct\$3)) and database	USPAT; US-PGPUB;	2004/02/24 16:26
			EPO; JPO; DERWENT; IBM TDB	
_	0	(paginat\$3 with direct\$3)) and database)	USPĀT; US-PGPUB;	2004/02/24 16:27
		and ("mark up interchange format" or MIF)	EPO; JPO; DERWENT; IBM TDB	
-	0	(((paginat\$3 with instruction) or (paginat\$3 with direct\$3)) and database)	USPAT; US-PGPUB;	2004/02/24 16:27
		and ("markup interchange format" or MIF)	EPO; JPO; DERWENT;	
-	1223	"markup interchange format" or MIF	IBM_TDB USPAT; US-PGPUB;	2004/02/24 16:32
			EPO; JPO; DERWENT;	
-	1	("markup interchange format" or MIF) and paginat\$3	IBM_TDB USPAT; US-PGPUB;	2004/02/26 11:28
		Pag1	EPO; JPO; DERWENT;	
_	0	(("markup interchange format" or MIF) and paginat\$3) and database and record and	IBM_TDB USPAT; US-PGPUB;	2004/02/24 16:37
		field and directive	EPO; JPO; DERWENT;	
_	1	(("markup interchange format" or MIF) and paginat\$3) and database and record and	IBM_TDB USPAT; US-PGPUB;	2004/02/24 16:39
		field	EPO; JPO; DERWENT;	
_	67	("markup interchange format" or MIF) and database and record and field	IBM_TDB USPAT; US-PGPUB;	2004/02/24 16:40
		autububu ana 1999ta ana 1191a	EPO; JPO; DERWENT;	
_	13	(("markup interchange format" or MIF) and database and record and field ) and (field	IBM_TDB USPAT; US-PGPUB;	2004/02/24 16:40
		with instruction)	EPO; JPO; DERWENT;	
_	0	(((("markup interchange format" or MIF) and database and record and field ) and	IBM_TDB USPAT; US-PGPUB;	2004/02/24 16:40
		(field with instruction)) and (generat\$3 with output)) and paginat\$	EPO; JPO; DERWENT;	
_	12	((("markup interchange format" or MIF) and database and record and field ) and (field	IBM_TDB USPAT; US-PGPUB;	2004/02/24 16:41
		<pre>with instruction)) and (generat\$3 with output)</pre>	EPO; JPO; DERWENT;	
_	1	((Framemaker and Filemaker) and field) and instruction	IBM_TDB USPAT; US-PGPUB;	2004/02/24 16:42
			EPO; JPO; DERWENT;	
-	1	(((Framemaker and Filemaker) and field) and instruction) and database	IBM_TDB USPAT; US-PGPUB;	2004/02/24 16:42
			EPO; JPO; DERWENT; IBM TDB	
L	L	<u> </u>	TOP TOB	<u> </u>

	0.000	1/	USPAT;	2004/02/24 18:28
-	26339	, ,	US-PGPUB;	2004/02/24 18:28
		template		
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/02/24 18:28
-	37	11===:::1:::	USPAT;	2004/02/24 18:28
1	1	template) and paginat\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13	(((creat\$3 or generat\$3 or design\$3) with	USPAT;	2004/02/24 18:27
		template) and paginat\$3) and (generat\$	US-PGPUB;	
		with output)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3675	(creat\$3 or generat\$3 or design\$3) adj	USPAT;	2004/02/24 18:28
		template	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10	((creat\$3 or generat\$3 or design\$3) adj	USPAT;	2004/02/24 18:43
		template) and paginat\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	0		USPAT;	2004/02/24 18:44
		template) and paginat\$3) and (add with	US-PGPUB;	
		record)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	10	(((creat\$3 or generat\$3 or design\$3) adj	USPAT;	2004/02/24 18:44
		template) and paginat\$3) and add\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	